

GV EGON VAC 4.1 PLUS



NEW



Standard Equipment

• 5.211.0165



• 2 X 3.753.0127



• 3.754.0255



• 3.754.0108



• 3.754.0109



• 3.754.0110



• 6.402.0115 PEK



• 6.402.0117 Stainless steel



• 6.402.0116 Brass



• 6.402.0095



• 3.754.0271



• 3.754.0292



• 3.754.0293



• 3.754.0005



• 5.412.0002



• 3.754.0015



• 3.754.0121



• 6.402.0096



• 3.754.0296



• 3.099.1923



• 3.754.0295



• 3.754.0294



• 3.754.0297



TUV certified for professional use

GV EGON VAC 4.1 PLUS

Technical data sheet

Technical Specifications:

- 1) **Voltage:** 220 V - 50 Hz (Ph 1).
- 2) **Boiler Power:** 1900 W. S.S. AISI 304
- 3) **Vacuum motor power:** 1400 W (MAX).
- 4) **Steam Pressure:** 5 bar.
- 5) **Steam temp.:** 152 °C.
- 6) **Water tank capacity:** 2.4 Lt.
- 7) **Recovery tank capacity:** 8 Lt.
- 8) **Weight:** 9 kg.

Features:

- 1) ABS body and stainless steel AISI 304 Boiler.
- 2) Ready steam warning lamp.
- 3) Low level water lamp indicator.
- 4) Boiler is refilled continuously. No more waiting for the boiler to cool down, it can be safely refilled, even while you are using it.
- 5) Flex hose 2m.
- 6) Wheels suitable for use in food processing area
- 7) ON/OFF main switch with indicator lamp.
- 8) ON/OFF boiler switch with indicator lamp.
- 9) Steam regulation.
- 10) Washable filter.
- 11) HEPA filtering system H14.
- 12) Pressure gauge.
- 13) Clean and sanitize all surfaces (ceramic, stainless steel, glass, wood, linoleum, marble, carpet, armchairs and sofas) with high temperature steam, removing mites, germs, bacteria.
- 14) It is possible to vacuum dust and liquids with a 4-stage filtering system.

Machine Inclusions:

Hose - Extension tubes - Large brush - Brush support hook - Floor frame - Carpet loom - Liquid frame - cotton cloth - steam suction connection - steam nozzle extension - plastic/steel/brass brush - scraper - small triangular nozzle - small brush sucks up liquids - Flat lance - Brush radiators - brush - upholstery nozzle - wiper accessory - spare gasket kit.

المواصفات الفنية

المواصفات الفنية:

- ١) تيار التشغيل: ٢٢٠ فولت - ٥٠ هرتز / ١ فاز.
- ٢) قدرة الغلاية: ١٩٠٠ وات. مصنوعة من الستانلس ستيل.
- ٣) قدرة موتور الشفط: ١٤٠٠ وات (حد أقصى).
- ٤) ضغط البخار: ٥ بار.
- ٥) درجة حرارة البخار: ١٥٢ درجة مئوية.
- ٦) سعة تانك المياه: ٢,٤ لتر.
- ٧) سعة تانك الراجع: ٨ لتر.
- ٨) الوزن: ٩ كجم.

المميزات:

- ١) جسم الماكينة من البلاستيك المقوى ضد الكسر وخفيف الوزن لسهولة حمل وحركة الماكينة والغلاية مصنوعة من الستانلس.
- ٢) لمبة تحذيرية لتوضيح استعداد استخدام البخار.
- ٣) لمبة بيان عند انخفاض مستوى المياه.
- ٤) يتم ملء الغلاية بالمياه باستمرار دون الحاجة إلى انتظار مدة من الوقت لإعادة تزويد الماكينة بالمياه مرة أخرى، يمكن حتى تزويد الماكينة بالمياه أثناء العمل بها.
- ٥) خرطوم مرن بطول ٢ متر.
- ٦) عجلات الماكينة تناسب الاستخدام في أماكن تحضير الطعام.
- ٧) زر إيقاف وتشغيل رئيسي مع لمبة بيان.
- ٨) زر إيقاف وتشغيل للغلاية مع لمبة بيان.
- ٩) منظم للبخار.
- ١٠) فلتر قابل للغسل.
- ١١) هيبة فلتر.
- ١٢) مقياس للضغط.
- ١٣) الماكينة تقوم بتنظيف وتعقيم جميع الأسطح (السيراميك، الستانلس ستيل، الزجاج، الخشب، الرخام، السجاد، الأتريهات) باستخدام البخار بدرجة حرارة عالية للقضاء على العث والبراغيث، والجراثيم، والباكتيريا.
- ١٤) يمكن للماكينة شفط المياه والأتربة (استخدامها كمكنسة) عن طريق نظام فلتر رباعي المراحل.

مشمات الماكينة:



GV Egon VAC 4.1 Plus

NEW



Equipped with:

- ABS body
- Ready steam warning lamp
- Boiler 1,9 kW S.S. AISI 304
- Low level water lamp indicator
- Boiler is refilled continuously
- Flex hose 2 m
- Wheels suitable for use in food processing area
- ON/OFF main switch with indicator lamp
- ON/OFF boiler switch with indicator lamp
- Steam regulation
- Recovery tank capacity 8 l.
- Washable filter
- HEPA filtering system H14
- Pressure gauge.

Optional

- DOX Hygiene 3.697.0084



Standard Equipment

- 5.211.0165



- 2 X 3.753.0127



- 3.754.0255



- 3.754.0108



- 3.754.0109



- 3.754.0110



- 6.402.0115 PEK



- 6.402.0117 Stainless steel



- 6.402.0116 Brass



- 6.402.0095



- 3.754.0271



- 3.754.0292



- 3.754.0293



- 3.754.0005



- 5.412.0002



- 3.754.0015



- 3.754.0121



- 6.402.0096



- 3.754.0296



- 3.099.1923



- 3.754.0295



- 3.754.0294



- 3.754.0297



TUV certified for professional use

GV Egon VAC 4.1 Plus	
Code	8.406.0017
Max steam pressure/temperature	5 bar/152° C
Boiler absorbed power	1900 W/220/240V ~ 50Hz (Ph 1)
Vacuum motor absorbed power	1200 (max 1400) W
Column depression/Air flow	24 kPa/220 m³/h
Recovery tank capacity	8 l



GV Egon VAC 4.1 allows, simply and quickly and with the exclusive use of water, steam cleaning of all surfaces together with dust and liquid vacuuming. It is possible to clean and sanitize all surfaces (ceramic, stainless steel, glass, wood, linoleum, marble, carpet, armchairs and sofas) with high temperature steam, removing mites, germs, bacteria and prevent the onset of allergies. High pressure stainless steel boiler with unlimited autonomy, ready in a few moments and complete with a wide set of accessories. Silent operation in sensitive and crowded areas,

just setting the suction power on the gun. Egon Vac 4.1 is equipped with an HEPA H14 filter which remove the 99.995% of the air contaminants preventing the spread of bacterial and viral organism present in the air. No more waiting for the boiler to cool down, it can be safely refilled, even while you are using it. Set the boiler, choose the steam intensity. All the controls are on the handle, press the lever to steam, press the button to vacuum. Thanks to the powerful suction and the remote electronic function, it is possible to control the vacuum power and the steam plus



chemical injection directly from the gun, for an easy and professional cleaning operation.

Fields of applications Steam system:

Hospitality, community & healthcare (hospitality, buildings cleaning, spa & sport, education & community, healthcare).

Food & beverage (food industry, catering, beverage, winery).

Industry (industry, transportation, car washers, car dealers).

Sanitizing with DOX Hygiene

Steam itself is a powerful virus and bacteria killer. In addition, Egon Vac can be operated in conjunction with the optional sanitizing detergent DOX Hygiene which boost up the sanitizing feature of the steam. Important note: the presence of oxygen-based whiteners included in the DOX Hygiene may alter the color of the surfaces to be treated. DO NOT use the product in the water tank of the machine. Use only with steam diffuser accessory.

