

DISPENSERS ST BOX PANTHER 72 PRO

FEATURES

- STURDY STRUCTURE
- LOCKABLE AND SAFE
- READY TO USE
- FILTRATION GUARANTEED
- NOZZLE CONTACT (PRO VERSION ONLY)

IN THE BOX

- ST BOX UNIT
- METER
- FILTER
- DELIVERY HOSE
- NOZZLE
- INSTRUCTION MANUAL



Technical Specifications

Model	ST BOX PANTHER 72 PRO
Code	F00365010
Manufacturing	ITALY
Voltage	220 V - 50 Hz
FLOW-RATE	70 l/m
Power Watt	500 W
Nozzle type	Automatic
INLET / OUTLET	1"
Pump type	Panther 72
Weight	40 kg
Dimensions	575 x320 x607 mm

Other Specifications

- A filling station complete with pump, flow meter and filter, with metal protection box featuring lock. The unit is complete with antistatic hose for diesel fuel and automatic dispensing nozzle.
- The Pro version features an electronic access control box (Access 85) complete with emergency mushroom-shaped button and nozzle holder with automatic switch for turning off the pump.
- Thanks to Access 85 user access can be managed by means of a personal user key and a level probe can be connected to stop dispensing in case of low level in tank. Featuring a protection timer that switches the pump off after 10 minutes. The Pro version is supplied with 4 user keys, already configured

المواصفات الفنية

ST BOX PANTHER 72 PRO	الموديل
F00365010	الكود
إيطاليا	بلد الصنع والتجميع
٢٢٠ فولت - ٥٠ هرتز	تيار التشغيل
٧٠ لتر / دقيقة	معدل التصريف
٥٠٠ وات	قدرة الموتور
أوتوماتيك	نوع المسدس
١ بوصة	قطر الدخول / الخروج
Panther 72	نوع الطلمبة
٤٠ كجم	الوزن
٥٧٥ × ٣٢٠ × ٦٠٧ مم	الأبعاد

مواصفات أخرى

- مفاتيح ممغنطة بنظام button مكونة من عدد ١ مفتاح مدير لتحديد المستخدمين على الوحدة وعدد ٤ مفاتيح مستخدمين
- حساس مستوى تانك يفصل الطلمبة عند انخفاض مستوى السولار في التانك
- مقعد مسدس بسويتش لفلق الطلمبة عند وضع المسدس
- الوحدة بالكامل مغلقة ببوكس معدن بمفاتيح
- فلتر فاصل مياه على الخروج
- فلتر فاصل شوائب على الدخول
- زر طوارئ
- الطلمبة تغلق اوتوماتيكياً بعد الاستخدام لمدة ١٠ دقائق
- مجهزة للتعليق المباشر
- يمكن اضافة مفاتيح أكثر بتكلفة إضافية
- مجهزة للاستخدام في اقصى ظروف العمل والخدمة الشاقة
- مسدس اوتوماتيك
- خرطوم ٦ متر
- لمبات بيان
- مقاس العلبة ٥٩ × ٥٧ سم



FUEL MANAGEMENT
SYSTEMS



DISPENSERS



KITS



PUMPS



METERS



NOZZLES

ST BOX

FEATURES

- **STURDY STRUCTURE**
- **LOCKABLE AND SAFE**
- **READY TO USE**
- **FILTRATION GUARANTEED**
- **NOZZLE CONTACT (PRO VERSION ONLY)**

The PIUSI ST BOX is a diesel refueling station complete with pump, flow meter and filter, with lockable metal protection box. The unit is complete with antistatic hose for diesel fuel and automatic dispensing nozzle. The Pro version features the electronic access control box ACCESS 85.

PERFORMANCE

UP TO
90 L/MIN

FLOW RATE

AC
CONTINUOUS DUTY

POWER

± 1%

ACCURACY



PACKAGING

CODE	WEIGHT		PACKAGING		
	KG	LBS	MM	INCH	PCS/BOX
WITHOUT ACCESS 85					
00036700B					
00036900B					
FO0365020					
FO0365060					
FO0365050	36	72	575X320X607	22,6X12,6X23,9	1
FO0365POA	40	88	575X320X607	22,6X12,6X23,9	1
FO039900A	50	110	590X340X720	23,2X13,4X28,3	1
WITH ACCESS 85					
FO0365010	40	88	575X320X607	22,6X12,6X23,9	1



FILTRATION



TANK MONITORING



HOSE REEL



ACCESSORIES



MERCHANDISE

PIUSI

AIR



ANTIFREEZE



AdBlue®



BIODIESEL



DIESEL



FOOD



GASOLINE



GREASE



KEROSENE





OIL



WATER




WINDSCREEN

CHART**DIMENSIONS**

Dimensions expressed in millimeters

IN THE BOX

- ST BOX UNIT
- METER
- FILTER
- DELIVERY HOSE
- NOZZLE
- INSTRUCTION MANUAL

DETAILS**COMPONENTS**

- **PUMPS:**
 - PANTHER AC PAG. 102
 - E80/E120 PAG. 106
 - BIPUMP PAG. 116
- **NOZZLE:**
 - AUTOMATIC NOZZLE PAG. 158
- **METER:**
 - K33 PAG. 146
 - K24 PAG. 132
- **FILTER**
 - WATER CAPTOR PAG. 170
- **ACCESS CONTROL**
 - ACCESS85 PAG. 194

TECHNICAL DATA

TECHNICAL DATA															
CODE	DESCRIPTION	FLUIDS TYPE	FLOW RATE		VOLTAGE			PUMP	METER	NOZZLE	FILTER	HOSE		INLET	
			L/MIN	GPM	AC V./HZ	DC VOLT	POWER WATT	AMP. MAX.	TYPE	TYPE	TYPE	H2O FILTER	LENGTH	Ø	BSP
WITHOUT ACCESS 85															
00036700B	ST BOX E80/M K33 A80	D	80	21	230/50	500	3,5	E80	K33	A80	NO	4M	1"	1"	
00036900B	ST BOX E120/M K33 A120	D	90	22	230/50	750	5,7	E120	K33	A120	NO	4M	1"	1"	
FO0365020	ST BOX PANTHER 56 BASIC	D	56	15	230/50	350	3	PANTH. 56	K33	A60	YES	6M	1"	1"	
FO0365060	ST BOX PANTHER 72 BASIC	D	70	19	230/50	500	4,2	PANTH. 72	K33	A80	YES	6M	1"	1"	
FO0365050	ST BOX E 120 BASIC	D	90	22	230/50	750	5,7	E 120	K33	A120	YES	8M	1"	1"	
FO0365POA	ST BOX P56/M K33 A60	D	56	15	230/50	350	3	PANTH. 56	K33	A60	NO	4M	3/4"	1"	
FO039900A	ST BOX BIPUMP 12V K33 A120	D	80	21	12	530	44	BIPUMP	K33	A80	NO	4M	1"	1"	
WITH ACCESS 85															
FO0365010	ST BOX PANTHER 72 PRO	D	70	19	230/50	500	4,2	PANTH. 72	A80	AUT.	YES	6M	1"	1"	

PRO VERSION ONLY

ST BOX

ST

85