

K ELECTRONIC METERS 600/4

FEATURES

- EASY TO INSTALL AND TO CALIBRATE
- VERSATILE
- HIGH PRECISION

PERFORMANCE

15-150

L/MIN
FLOW-RATE

20 BAR

MAX OPERATING
PRESSURE

± 0,5%

ACCURACY



DETAILS



5-DIGIT DISPLAY



OVAL GEARS

MATERIALS

- BODY: ALUMINIUM
- GEARS: TECHNOPYLIMER



Technical Specifications

Model	K600/4
Code	00049700A
Flow Rate	15 - 150 l/m
Pressure	20 bar
Inlet / Outlet	1,5"
Weight	3,2 kg
Dimension	200 x 120 x 140 mm

المواصفات الفنية

K600/4	الموديل
00049700A	الكود
10 - 10 لتر / الدقيقة	التصريف
2. بار	الضغط
1,0 بوصة	قطر الدخول والخروج
3,2 كجم	الوزن
14. x 12. x 2.. مم	الأبعاد



DISPENSERS



PUMPS



METERS



NOZZLE



FILTRATION

FLUID
MONITORING

K600/4

هذا الكتالوج خاص بالشركة المصدرة وليست جميع
الأكواد المذكورة فيه صالحة للسوق المصري

FEATURES

- EASY TO INSTALL AND TO CALIBRATE
- VERSATILE
- HIGH PRECISION

The PIUSI K600/4 is an oval gear meter suitable for monitoring the delivery of fuels. This special version is particularly suitable for all applications in the industrial sector.

PERFORMANCE

15-150

L/MIN

FLOW-RATE

20 BAR

MAX OPERATING

PRESSURE

± 0,5%

ACCURACY

**K600/4****K600/4 PULSER**

PACKAGING

CODE	WEIGHT		PACKAGING		
	KG	LBS	MM	INCH	PCS/BOX
METERS					
00049700A	3,2	7	200X120X140	79X4,7X5,5	1
PULSER					
000473000	3,2	7	200X120X140	79X4,7X5,5	1



HOSE REELS



ACCESSORIES



MERCHANDISE



AIR



ANTIFREEZE



AdBlue®



BIODIESEL



DIESEL



FOOD



GASOLINE



GREASE



KEROSENE



OIL




WATER



WINDSCREEN

CHART




IN THE BOX

- K600/4 METER
- FLANGES
- INSTRUCTION MANUAL

DETAILS



DIMENSIONS



Dimensions expressed in millimeters

MATERIALS

- BODY: ALUMINIUM
- GEARS: TECHNOPOLYMER

TECHNICAL DATA

TECHNICAL DATA												
CODE	DESCRIPTION	FLUIDS TYPE	FLOW-RATE		PULSER		PRESSURE		BATTERY	FLANGE	INLET / OUTLET	INLET FILTER
			L/MIN	GPM	P/L	GPM	BAR	PSI	N°2 X 1,5V (INCLUDED)			
METERS												
00049700A	K600/4	A B D O	15 - 150	3,9 - 39	1	1	20	284	YES	YES	1 1/2" BSP	YES
PULSER												
000473000	K600/4 PULSER	A B D O	15 - 150	3,9 - 39	26	98	20	300	NO	YES	1 1/2"	YES

UPON REQUEST AVAILABLE IN NPT VERSION.

K600/4